



INTRODUCTION TO NEW WEBSITE ELEKTROLINE INC.

2019

Manual for employees, project managers, installers,
representatives, resellers, designers, and others who love working
with Elektroline Inc.

2005



2019



Foreword

Dear Sir or Madam,

on behalf of Elektroline Inc. we are very happy to introduce you to the new remastered website after more than 14 years. In 2005 Elektroline set a website benchmark in material portfolio approach to customers. Now, in 2019, we are going even farther with lots of new features, cleaner look, developments and contraptions to make your work easier.

No matter whether you use Elektroline website for ordering, inquiring, DWG downloading, creating own bill of material, looking for technical specifications or you are here for the first time, this introduction is ready to help you with basics and 'how to'.

In case you would not find what you have been looking for, feel free to contact us on info@elektroline.cz.

On Behalf of Elektroline Inc.,

Josef Hájek & A-Team

*Head of Sales & Marketing
OCS urban project group
Board of Directors Member*

Content

1	General information.....	4
2	E-shop	6
2.1	Navigation	7
2.2	Search	8
2.3	Display.....	9
2.4	Product related files.....	11
3	Shopping Cart.....	13
3.1	General information.....	13
3.2	Export features.....	14
4	References & Download.....	20
5	Contacts	21

1 General information

This paper highlights the most important features. It does not bring full description of all functionalities. For more information use following contact address: info@elektroline.cz.

In this document, pay attention to these three important signs marking noticeable new features, tips and attentions.



= ATTENTION



= NEW FEATURE



= TIP

Let's try the first attention...




Some features depend on level of accessibility of your personal account such as price visibility, test/manual report downloadability, DWG downloadability, custom Complete Set Editor access etc. The level of accessibility is individual for everyone driven by Elektroline business politics.

Despite level of access, everyone has access to all published Components and Complete Sets, basic technical specifications, online inquiring, product question request, cart export features (to PDF, Excel, CSV = bill of material preparation), datasheet exports etc.



Interesting in becoming Elektroline's reseller? Or are you a designer, engineer? Contact us and apply for the access.

2 E-shop



The screenshot displays the Elektroline e-shop interface. At the top, there is a navigation bar with the Elektroline logo, language selection (EN), a login button, and a shopping cart icon. Below the navigation bar, a grid of product categories is shown, including '0. sleeves & pole fastening', '1. supporting and tensioning equipment', '2. insulators', '2.1. cantilevers', '3.1. components for cantilevers', '3.2. components for wires', '4. suspensions & holders', '4.1. contact wire clamps', '5. tensioning mechanism', and '6. crossings and switches'. A green arrow points from this grid to a detailed view of the 'COMPLETE SETS' section.

The 'COMPLETE SETS' section features a search bar and a grid of product categories, each with a representative image:

- sleeves & pole fastening
- supporting and tensioning
- insulators
- cantilevers
- components for cantilevers
- components for wires
- suspensions & holders
- contact wire clamps
- tensioning mechanism
- crossings and switches
- cables and wires
- disconnectors & feeding
- electrical specialities
- connecting material
- other equipment
- tools
- spare parts
- Discounted products
- Unsigned OCL
- Archive

On the right side, there is a 'CATALOGUE' section with a search bar and a list of product categories, each with a checkmark and a small icon:

- sleeves & pole fastening
- supporting and tensioning equipment
- insulators
- cantilevers
- components for cantilevers
- components for wires
- suspensions & holders
- contact wire clamps
- tensioning mechanism
- crossings and switches
- cables and wires

6

2.1 Navigation

Probably the most significant changes happened in e-shop (former Minicatalogue and Complete Sets). 'CATALOGUE' represents individual Components meanwhile 'COMPLETE SETS' represents most common assemblies from these components.


These two categories were merged together on single page to quickly navigate between both. You can easily switch between by:

- pushing TAB key on keyboard
- clicking onto upper labels 'COMPLETE SETS' and 'CATALOGUE'
 - using these two aforementioned methods returns you to last left Component/Complete Set place.




Click onto labels 'COMPLETE SETS' or 'CATALOGUE' to switch between panels

- Even on inactive panel, you can directly navigate through sub-classes and activate one by clicking on:



2.2 Search

All search fields use full text searching method and are now interactive! It lists matched products in real-time. It works also using product number or product name.




In 'COMPLETE SETS' panel you can search for Complete Set itself or list all Complete Sets containing a specific component.




Do you wish to find all Complete Sets where product 221010 is used? Just swap between these green buttons and go!

2.3 Display

You can choose between 'TILE VIEW' or 'LIST VIEW'. Thanks to high-resolution photos we take pride in beautiful non-pixelated product pictures. This makes browsing more pleasant to your eye.





Choose a view which you like the most!




List view to see more items.













If similar products belong to a **cluster**, you recognize them by stacked green field and

inactive  button. That's because you must select individual component first.



Hey, there might be more similar products under this cluster!



227160		Section insulator TRAM 09 -600/Ri100 Section insulator TRAM 09 -600/Ri100	10,0 kg on demand	1	
227000		Section insulator TRAM 09 -100/Ri100 Section insulator TRAM 09 -100/Ri100	9,3 kg on demand	1	
227120 M		Section insulator TRAM 08 RM-100/Ri100 Section insulator TRAM 08 RM-100/Ri100	9,8 kg on demand	1	
227122 M		Section insulator TRAM 08 RM-100/Ri120 Section insulator TRAM 08 RM-100/Ri120	11,0 kg on demand	1	
227125 M		Section insulator TRAM 08 RM-100/Ri150 Section insulator TRAM 08 RM-100/Ri150	13,2 kg on demand	1	
227510		Section insulator TRAM 09 2RM/Ri100 Section insulator TRAM 09 2RM/Ri100	12,6 kg on demand	1	

Expanded cluster with active 'ADD-TO-CART' button. Pack the cluster back by click on up-arrow button.


2.4 Product related files



Some features depend on level of accessibility of your personal account.

If available, you can download four main files categories related to a product.

- **Autocad drawing** – DWG format for technicians/designers for various use
- **Installation manuals** – user guides or quick installation notes
- **Test reports** – mechanical or electrical
- **Spare parts** – according to serial number and year of manufacturing



FILES TO DOWNLOAD 227120 M

Elektroline catalogue .dwg sketch 227120 M.dwg

FILES TO DOWNLOAD 227120 M

227120 M, 227122 M, 227125 M Dělič TRAM 08 RM-100_montáž 1102_50.pdf

227120 M, 227122 M, 227125 M Dělič TRAM 08 RM-100_přiručka 0811_03.pdf

227120 M, 227122 M, 227125 M Dělič TRAM 08 RM-100_montáž 0811_03.pdf

227120 M, 227122 M, 227125 M_Streckentrenner TRAM 08 RM-100_Handbuch 1102_50.pdf

FILES TO DOWNLOAD 227120 M

AP_EZ_2011_121_01 - Insulator TM 08 RM 100 - electrical test - ENG.pdf

E01-0409 dělič TM 08 RM 100 - izolační vlastnosti (IEC 913 odst.2.3.2) - CZE.pdf

AP_EZ_2011_121_01 - Dělič TM 08 RM 100 - elektrická zkouška - CZE.pdf

SPARE PARTS 227120 M


Spare parts 06/2010

Spare parts from 01/2011


Spare parts from 10/2012


Spare parts from the serial No 182-2015

Do you wish to copy product number or direct URL link? Just point on product number green field, click on one of these two buttons and number or whole web address is immediately stored into your clipboard ready to be paste by Ctrl+V!



Click and paste immediately. No CTRL+C needed. Life is too short to do that!

By clicking active  button you add an item into a CART. Before doing that, you can also specify quantity which can be later adjusted in the CART itself. A small orange number on the CART logo informs you about how many various items you have currently in the CART. Just like in common e-shop.



NEW FEATURE

Just like in common e-shop but just unlikely with fancy animation!


3 Shopping Cart







3.1 General information

New website, new enhanced shopping CART.



Some features depend on level of accessibility of your personal account.



Preview	ID No.	Name	Quantity Stock status	w.m. (eng)	Price Total price	Weight Total weight
	227782	Section insulator 13 2RM-15 Section insulator 13 2RM-15	7	pcs.	on demand on demand	11,4 kg 79,9 kg
	221010	Silicone loop insulator, without thimble 25kN Silicone loop insulator, without thimble 25kN	200	pcs.	on demand on demand	0,2 kg 48,0 kg
	TV VYL1-3m	GRP Cantilever 1x55-3m (single suspended by stainless steel rope) GRP Cantilever 1x55-3m (single suspended by stainless steel rope)	10	set	on demand on demand	18,0 kg 179,8 kg
	TM1B3NI00	Hinge DELTA type and insulated steady arm on rope Hinge DELTA type and insulated steady arm on rope	10	set	on demand on demand	5,6 kg 56,1 kg
	241021	Contact wire clip for bolt 16 Contact wire clip for bolt 16	50	pcs.	on demand on demand	0,3 kg 17,9 kg
	256573 L37	Sleeve with bow for pole 273 mm with clevis L37 (stainless steel) Sleeve with bow for pole 273 mm with clevis L37 (stainless steel)	12	pcs.	on demand on demand	3,2 kg 37,9 kg

Simply Shopping Cart – no more words needed.

The Cart itself is quite straightforward. See preview picture, product number, name, quantity, price (if available), weight, on-stock reserves (if available) etc. On the pictures below you find brief description of basic features.

Always open the Cart in the new browser window by clicking Cart logo. If you accidentally close the window with the Cart, do not worry, no data get lost. Just click on the logo again and you are back in the game.




Click here to open the window with Cart content.

3.2 Export features

No matter what access your account has, you always have a bunch of tools to export Cart content by clicking on PRINT button.

As there are two types of items (Complete Sets and Components) you can decide if you want to export Complete Sets in one row, fully disassembled or assembled with content details. Both in color or greyscale.




Pay attention whether you want PDF or Excel export with or without product preview pictures. For low-cost projects, you can choose greyscale output to save environment!

Do you or does your client require list of datasheets or DWG drawings? Despite possibility of individual datasheet export in the Component/Complete Set detail web page, there is a faster way – put all Components/Complete Sets into the cart and click on one of three datasheet/DWG export buttons.



Export datasheets or DWG drawings in one click!



Before exporting datasheets/DWG drawings, choose what products you really need.



Export to CSV



Export to CSV

Elektroline employees use CSV format for internal purposes but this feature is also available to you. Who knows when this feature can be useful...

There are basic and specific features how to work with the Cart. Here is the list with exemplary description:



These buttons help you to manage the cart and not to make mistake!

- **New cart**
 - disregards current content and starts with brand new empty Cart
- **Import CSV**
 - useful way how to create the cart if **you receive list of material in Excel**. There are naturally several **restrictions**:
 - product number **must exist** on the website
 - CSV format must observe **format rules**; the first column is product number; second column is quantity; price (if available) will be automatically added according to your account access. The first row is ignored and serves for column legend:

	A	B
1	number	amount
2	214132	58
3	214522	19
4	223116	40
5	223216	19
6	227730	4









- if any mistake during creating cart from CSV occurs, you will be **intelligently informed** about un-successful import right in the cart. Without crash.

- **Save**
 - if all minimum mandatory inputs are filled, your cart can be saved. If once saved, Save button **overwrites** the **cart according to project name**. Save your Cart **regularly**, there is no autosave, yet.
- **Save as Subversion**
 - do you want to make Cart revision or client requires **additional changes** in the original offer? Simply Save as Subversion (we recommend to add 'rev2' into project name because even **subversion cannot have same project name as original**).
- **Save as New**
 - are you **reusing similar cart** for another client or another project? Save current content under **new project name**.
- **Update prices**
 - **Prices may change** during year and always changes on the **beginning of the new year**. Be sure to have always **latest prices!**
 - Imagine that you open a year-old cart. System automatically **compare prices** in e-shop with those saved a year ago and gives you a list of products where price changed and **marked them by color**. If you click Update prices now, all prices will be reloaded according to current prices in e-shop. **Pay attention whether you want to Save (=overwrite) or Save as new after price update!**
- **Update cart**
 - do you want to revert back all changes (price input manually)? Or have been some product pictures updated or did you open a very old cart and you want to **refresh a cart (including prices) to default/latest?** [Click here!](#)
- **Print**
 - this simply opens **export options** from previous chapter
- **Submit order**
 - All set? Ready to **order/inquire** material in the cart? Fill mandatory fields and **GO!** (see next page)





Preview	ID No.	Name	Quantity Stock status	w.m. (eng)	Price Total price	Weight Total weight
	227782	Section insulator I3 2RM-15 Section insulator I3 2RM-15	7	pcs.	on demand on demand	11,4 kg 79,9 kg
	221010	Silicone loop insulator, without thimble 25kN Silicone loop insulator, without thimble 25kN	200	pcs.	on demand on demand	0,2 kg 48,0 kg
	TV VYL1-3m	GRP Cantilever 1x55-3m (single suspended by stainless steel rope) GRP Cantilever 1x55-3m (single suspended by stainless steel rope)	10	set	on demand on demand	18,0 kg 179,8 kg
	TM1B3N100	Hinge DELTA type and insulated steady arm on rope Hinge DELTA type and insulated steady arm on rope	10	set	on demand on demand	5,6 kg 56,1 kg
	241021	Contact wire clip for bolt 16 Contact wire clip for bolt 16	50	pcs.	on demand on demand	0,3 kg 17,0 kg
	256573 L37	Sleeve with bow for pole 273 mm with clevis L37 (stainless steel) Sleeve with bow for pole 273 mm with clevis L37 (stainless steel)	12	pcs.	on demand on demand	3,2 kg 37,9 kg

Project details and ordering detail are accessible from roll-out button – see next pages.

Client information

Project name*	<input type="text"/>	<input type="text"/>		<input type="button" value="SAVE"/> <input type="button" value="LOAD"/> <input type="button" value="🗑️"/>
Order No.	<input type="text"/>	Address	<input type="text"/>	
Company*	<input type="text"/>	Name and surname*	<input type="text"/>	
Phone	<input type="text"/>	Email*	<input type="text"/>	<input data-bbox="1881 702 1915 726" type="button" value="+"/>

Delivery country	<input type="text" value="GBR"/>			<input type="button" value="▼"/>
Delivery address	<input type="text"/>			
Required time of delivery	<input type="text"/>			
Note	<input type="text"/>			<input data-bbox="1881 901 1915 925" type="button" value="+"/>

* mandatoring field, must be filled for saving the cart



Text

If you wish to order/inquiry online, fill these mandatory fields.

Conditions	
Content	<input type="text"/>
Terms of delivery	<input type="text"/> Shipping times <input type="text"/>
	<input type="text"/>
Payment terms	Offer valid to <input type="text"/>
	<input type="text"/>
Note	<input type="text"/>
Attachment	<input type="text"/> <input type="button" value="Vybrat soubor"/> <input type="button" value="Soubor nevybrán"/> <input data-bbox="2004 1021 2033 1045" type="button" value="+"/>
Please e-mail us at <input type="text"/> or write to our company. If you have any questions, please contact us.	

Specify payment/freight conditions or/and add additional file. We will evaluate order/inquiry and return back to you with details! Just be reasonable.

4 References & Download




Lots of information is accessible on static webpage in References or Download section. Navigation and searching features are obvious. Check Elektroline's past and current projects in new fancy look!



Check Elektroline realizations online!

Download area serves for general company leaflets downloads, certificates, presentations, logos, printable version of catalogue etc. Take some time and explore useful files. Everything is smartly sorted.




date	category	name	file type
28.03.2019	Presentations & Catalogues	DDUD System (EN-CZ).pdf	pdf
27.03.2019	Presentations & Catalogues	DDDS system - brochure (EN-CZ).pdf	pdf
27.03.2019	Presentations & Catalogues	Elektroline General - brochure (EN).pdf	pdf
27.03.2019	Presentations & Catalogues	Signaling Systems - brochure (EN).pdf	pdf
27.03.2019	Presentations & Catalogues	TBUS_OCL systems - brochure (EN).pdf	pdf

Check Download area for other useful information.

5 Contacts

Last but not least, Elektroline prefers personal approach - ideally face-to-face meeting but not always it is possible. We are convinced that business can be managed on human level with respect and mutual tolerance. Feel free to contact us anytime.



Elektroline a.s.

K Ládví 1805/20
184 00 Praha 8
Czech Republic

Tel: +420 284 021 111
Fax: recepc@elektroline.cz
info@elektroline.cz
www.elektroline.cz

K Ládví 1805/20
Zobrazit větší mapu

ONDOR, s.r.o.
K Ládví 1805/20
30 min autem - domov

MOL
Hornáček
U Větroslamu

Google
Penny market
Data map ©2019 Google
Podmínky použití